

# SEQUENCE LISTING

```

<110> The Regents of the University of California
      Martin, Paul Taylor

<120> AMYLOID-SPECIFIC PEPTIDES AND USES THEREOF

<130> 00015-022US1

<140> US 10/551,619
<141> 2005-09-30

<150> US 60/461,168
<151> 2003-04-07

<150> PCT/US04/10939
<151> 2004-04-07

<160> 33

<170> PatentIn version 3.3

<210> 1
<211> 10
<212> PRT
<213> Artificial sequence

<220>
<223> consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W OR F

<220>
<221> X
<222> (2)..(6)
<223> X = any amino acid having two positively charged residues and no
      negatively charged residues

<220>
<221> X
<222> (7)..(7)
<223> X = W OR F

<220>
<221> X
<222> (8)..(9)
<223> X = Any amino acid

<220>
<221> X
<222> (10)..(10)
<223> X = W OR F

<400> 1

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5          10

```

```

<210> 2
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 2
Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly Ala Ser Gly
1          5          10          15

Lys Thr Glu Ala
20

<210> 3
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 3
Pro Gly Arg Ser Pro Phe Thr Gly Lys Lys Leu Phe Asn Gln Glu Phe
1          5          10          15

Ser Gln Asp Gln
20

<210> 4
<211> 26
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 4
Ala Glu Cys Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly
1          5          10          15

Ala Ser Gly Lys Thr Glu Ala Cys Gly Pro
20          25

<210> 5
<211> 22
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 5
Cys Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly Ala Ser
1          5          10          15

```

Gly Lys Thr Glu Ala Cys  
20

<210> 6  
<211> 22  
<212> PRT  
<213> Artificial sequence

<220>  
<223> peptide sequence

<400> 6

Cys Pro Gly Arg Ser Pro Phe Thr Gly Lys Lys Leu Phe Asn Gln Glu  
1 5 10 15

Phe Ser Gln Asp Gln Cys  
20

<210> 7  
<211> 20  
<212> PRT  
<213> Artificial sequence

<220>  
<223> peptide sequence

<400> 7

Leu Gly Ser Gly Arg Ile Gly Asp Gly Trp Ser Asp Gly Gly Leu Ala  
1 5 10 15

Arg Arg Leu Lys  
20

<210> 8  
<211> 20  
<212> PRT  
<213> Artificial sequence

<220>  
<223> peptide sequence

<400> 8

Asp Gly Gly Gly Gly Ala Gly Arg Trp Thr Thr Lys Asp Arg Ser Ala  
1 5 10 15

Ala Lys Thr Glu  
20

<210> 9  
<211> 20  
<212> PRT  
<213> Artificial sequence

<220>  
<223> peptide sequence

<400> 9

Val Asp Asp Gly Ala Gln Gly Lys Arg Trp Gly Gly Met Gly Leu Gly  
 1 5 10 15

Lys Gly Arg Arg  
 20

<210> 10  
 <211> 20  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> peptide sequence

<400> 10

Ser Gly Ser Gly Val Gly Leu Arg Met Ala Ser Gln Arg His Glu Gly  
 1 5 10 15

Arg Lys Val Tyr  
 20

<210> 11  
 <211> 20  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> peptide sequence

<400> 11

Gln Leu Pro Gln Asn Gly Gly Pro Ala Trp Phe Thr Arg Lys Ala Gly  
 1 5 10 15

Gln Gly Gly Arg  
 20

<210> 12  
 <211> 20  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> peptide sequence

<400> 12

Leu Gly Tyr Ala Gly Gly Gly Gln Gly Met Val Glu Gly Ser Phe Trp  
 1 5 10 15

Pro Thr Ser Trp  
 20

<210> 13  
 <211> 20  
 <212> PRT  
 <213> Artificial sequence

<220>

<223> peptide sequence  
 <400> 13  
 Gly Leu Arg Gly Met Glu Gly Arg Gly Tyr Pro Lys Asp Arg Arg Asp  
 1 5 10 15  
 Arg Asn Leu Glu  
 20  
 <210> 14  
 <211> 20  
 <212> PRT  
 <213> Artificial sequence  
 <220>  
 <223> peptide sequence  
 <400> 14  
 Leu Ile Gly Gly Asn Lys Ala Gly Arg Gly Ala Trp Gly Val Val Ala  
 1 5 10 15  
 Ser Ser Gly Arg  
 20  
 <210> 15  
 <211> 20  
 <212> PRT  
 <213> Artificial sequence  
 <220>  
 <223> peptide sequence  
 <400> 15  
 Glu Leu Glu Ser Arg Gly Gly Leu Gly Tyr Ala Trp Arg Gly Ser Ala  
 1 5 10 15  
 Ser Thr Met Asp  
 20  
 <210> 16  
 <211> 20  
 <212> PRT  
 <213> Artificial sequence  
 <220>  
 <223> peptide sequence  
 <400> 16  
 Lys Gly Glu Thr Gly Asn Gly Gly Arg Ala Lys Ala Gly Thr Val Asp  
 1 5 10 15  
 Leu Ile Arg Arg  
 20  
 <210> 17  
 <211> 33  
 <212> PRT

```

<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
      from 1 to 20

<220>
<221> X
<222> (2)..(2)
<223> X = W or F

<220>
<221> X
<222> (3)..(17)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (18)..(18)
<223> X = W or F

<220>
<221> X
<222> (19)..(31)
<223> X = any amino acid

<220>
<221> X
<222> (32)..(32)
<223> X = W or F

<220>
<221> X
<222> (33)..(33)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
      from 1 to 20

<400> 17

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5          10          15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
          20          25          30

Xaa

<210> 18
<211> 32
<212> PRT
<213> Artificial sequence

<220>

```

```

<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
      from 1 to 20

<220>
<221> X
<222> (2)..(2)
<223> X = W or F

<220>
<221> X
<222> (3)..(17)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (18)..(18)
<223> X = W or F

<220>
<221> X
<222> (19)..(31)
<223> X = any amino acid

<220>
<221> X
<222> (32)..(32)
<223> X = W or F

<400> 18

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5          10          15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20          25          30

<210> 19
<211> 32
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>
<221> X
<222> (2)..(16)
<223> X = Any positively charged amino acid

<220>

```

```

<221> X
<222> (17)..(17)
<223> X = W or F

<220>
<221> X
<222> (18)..(30)
<223> X = any amino acid

<220>
<221> X
<222> (31)..(31)
<223> X = W or F

<220>
<221> X
<222> (32)..(32)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
      from 1 to 20

<400> 19

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1      5      10      15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
      20      25      30

<210> 20
<211> 31
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>
<221> X
<222> (2)..(16)
<223> X = Any positively charged amino acid

<220>
<221> X
<222> (17)..(17)
<223> X = W or F

<220>
<221> X
<222> (18)..(30)
<223> X = any amino acid

<220>
<221> X
<222> (31)..(31)
<223> X = W or F

```



```

<400> 20
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5          10          15
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
          20          25          30
<210> 21
<211> 41
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
      from 1 to 20

<220>
<221> X
<222> (2)..(2)
<223> X = W or F

<220>
<221> X
<222> (3)..(17)
<223> X = Any positively charged amino acid

<220>
<221> X
<222> (18)..(18)
<223> X = W or F

<220>
<221> X
<222> (19)..(39)
<223> X = any amino acid

<220>
<221> X
<222> (40)..(40)
<223> X = W or F

<220>
<221> X
<222> (41)..(41)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
      from 1 to 20

<400> 21
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5          10          15

```

```

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
      20                      25                      30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
      35                      40

<210> 22
<211> 40
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
      from 1 to 20

<220>
<221> X
<222> (2)..(2)
<223> X = W or F

<220>
<221> X
<222> (3)..(17)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (18)..(18)
<223> X = W or F

<220>
<221> X
<222> (19)..(39)
<223> X = any amino acid

<220>
<221> X
<222> (40)..(40)
<223> X = W or F

<400> 22

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1      5      10      15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
      20      25      30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
      35      40

<210> 23
<211> 40
<212> PRT
<213> Artificial sequence

```

```

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>
<221> X
<222> (2)..(16)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (17)..(17)
<223> X = W or F

<220>
<221> X
<222> (18)..(38)
<223> X = any amino acid

<220>
<221> X
<222> (39)..(39)
<223> X = W or F

<220>
<221> X
<222> (40)..(40)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
      from 1 to 20

<400> 23

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5          10          15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20          25          30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
35          40

<210> 24
<211> 39
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>

```

```

<221> X
<222> (2)..(16)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (17)..(17)
<223> X = W or F

<220>
<221> X
<222> (18)..(38)
<223> X = any amino acid

<220>
<221> X
<222> (39)..(39)
<223> X = W or F

<400> 24

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1      5      10      15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
      20      25      30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
      35

<210> 25
<211> 5
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 25

Ser Arg Lys Asn Gln
1      5

<210> 26
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 26

His Cys Ser Gln Asn Glu Asp Gly Ala
1      5

<210> 27
<211> 9
<212> PRT
<213> Artificial sequence

```

```

<220>
<223> peptide sequence

<400> 27

Tyr Ser Thr Thr Ser Trp Tyr Tyr Trp
1 5

<210> 28
<211> 40
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 28

Asp Ala Glu Phe Lys His Asp Ser Gly Thr Glu Val His His Gln Lys
1 5 10 15

Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys Gly Ala Ile Ile
20 25 30

Gly Leu Met Val Gly Gly Val Val
35 40

<210> 29
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> primer

<400> 29
gtttgtcgtc tttccagacg 20

<210> 30
<211> 105
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleotide cloning sequence

<400> 30
cggggtacct gcagaatcg attgggggaa ggggggtcgg tggcggttgt ggccgggtgc 60
gtcggggaag acggaggcgt gcggcccgcc gtattagtct agacg 105

<210> 31
<211> 105
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleotide cloning sequence

<400> 31
gtcttagact aatacggcgg gcgcacgcc tccgtcttcc ccgacgcacc cggecacaac 60
cgccaccgac ccccttccc ccaatcgcat tctgcaggta ccccg 105

```

```

<210> 32
<211> 5
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 32

Cys Gly Pro Pro Tyr
1          5

<210> 33
<211> 11
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>
<221> X
<222> (2)..(6)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (7)..(7)
<223> X = W or F

<220>
<221> X
<222> (8)..(10)
<223> X = any amino acid

<220>
<221> X
<222> (11)..(11)
<223> X = W or F

<400> 33

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5          10

```